



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/618,032	07/11/2003	Tom Dominique Linster	DN2002127	4021

27280 7590 10/21/2005

THE GOODYEAR TIRE & RUBBER COMPANY
INTELLECTUAL PROPERTY DEPARTMENT 823
1144 EAST MARKET STREET
AKRON, OH 44316-0001

EXAMINER

SANDERS, KRIELLION ANTIONETTE

ART UNIT PAPER NUMBER

1714

DATE MAILED: 10/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/618,032

Applicant(s)

LINSTER ET AL.

Examiner

Kriellion A. Sanders

Art Unit

1714

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 7/03, 12/03.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

1. Applicant's invention as claimed fails to particularly point out and distinctly claim that which applicant considers the claimed process steps to be. Specifically, applicant sets forth a specific mixing procedure that does not distinctly define the invention. This procedure is set forth at the last five lines of claim 1 wherein applicant states that while continuing to mix said rubber composition in said mixer, the rubber composition is mixed under an extended mixing condition at a temperature within 10 degrees C. of the pre-determined temperature for an extended period of 0.5 to 15 minutes. This process procedure does not define a distinct process procedure that could be considered separate from the initial procedure of the claim. The first mixing step has no end point. Therefore, the second mixing step cannot be considered a distinct and separate mixing step. In fact, applicant uses the term, "while continuing to mix", to define the second mixing procedure.

Art Unit: 1714

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1- 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zimmer et al. US Patent No. 6090880 taken with Cabioch et al, US Patent No. 6013718 and Mabry et al, 6,075,084.

Zimmer et al discloses a tire comprised of

(A) 100 parts by weight of at least one diene-based elastomer composed of

(i) about 20 to about 50 phr of at least one modified copolymer elastomer of styrene or alpha-methylstyrene and conjugated diene selected from at least one of butadiene and isoprene, said modified elastomer being coupled or capped with tin or silicon and

(ii) about 20 to about 50 phr of at least one elastomer selected from homopolymers of conjugated dienes selected from butadiene and isoprene, copolymers of said conjugated dienes, copolymers of said conjugated diene(s) with an aromatic hydrocarbon selected from styrene and alpha-methylstyrene,

(B) about 30 to about 110 phr of reinforcing filler composed of

(i) about 30 to about 90 phr of surface-modified reinforcing carbon black, said carbon black containing at least one moiety selected from silanol, siloxane, titanium oxide,

Art Unit: 1714

titanium hydroxide, zirconium oxide, zirconium hydroxide and aluminum hydroxide groups on the surface thereof, and

(ii) additional filler has about 10 to about 20 phr of at least one of precipitated silica containing silanol groups on the surface thereof and unmodified reinforcing carbon black,

(C) at least one silica coupler having a moiety reactive with

(i) at least one of said moieties contained on the surface of said surface-modified carbon black and

(ii) with silanol groups on said silica, if silica is used, and another moiety interactive with at least one of said elastomer(s): and wherein about 60 to about 85 percent of the tin bonds in the modified copolymer elastomer are bonded to diene units of the styrene/diene copolymer. Various silica couplers can be used. One preferred coupler is a bis-(trialkoxysilylalkyl) polysulfide containing from about 2 to about 8 sulfur atoms in the polysulfide bridge, alternatively an average of about 4 sulfur atoms in the polysulfide bridge. For example, the silica coupler can be bis-(3-triethoxysilylpropyl) tetrasulfide having an average of about 4 sulfur atoms in its polysulfide bridge or, in an alternative, a polysulfide having about 2 sulfur atoms in its polysulfide bridge.

Conventionally a weight ratio of silica coupler to the said surface-modified carbon black, and precipitated silica, if used, is in a range of about 0.01/1 to about 0.25/1.

The rubber compositions are prepared by mixing the aforesaid ingredients in a series of sequential mixing steps in which at least one of the mixing steps is conducted at an elevated temperature in a range of about 160 degree C to about 175 degree C. or to 180 degree C. prior to adding sulfur and vulcanization accelerators, in order to break the tin bonds in the coupled

Art Unit: 1714

copolymer and to reduce the reaction time between the tin, silanol groups on the carbon black, alkoxy silane moiety on the silica coupler and the elastomers (themselves). The ingredients are typically mixed in at least two stages, namely, at least one non-productive stage followed by a productive mix stage. The final curatives are typically mixed in the final stage which is conventionally called the "productive" mix stage in which the mixing typically occurs at a temperature, or ultimate temperature, lower than the mix temperature(s) than the preceding non-productive mix stage(s). The rubber, silica, silica coupler, silica silylating agent, and carbon black if used, are mixed in one or more non-productive mix stages. The terms "non-productive" and "productive" mix stages are well known to those having skill in the rubber mixing art. In at least one of the non-productive (NP) mixing stages, the materials are thermomechanically mixed and the mixing temperature is allowed to reach a temperature between 140.degree C. and 190 degree. C.

The Carbon black used in the invention is modified by being surface treated with a silane by the following method:

An oven is purged with a nitrogen to create an inert gaseous atmosphere within the oven. After gently crushing the carbon black, 0.5 grams of tetraethoxysilane per gram of carbon black are added to the carbon black. The homogenized mixture is then placed in a tempered alumina crucible. The crucible is placed in the oven. The oven is purged with nitrogen from about 30 minutes and then heated up to about 800.degree C. for about two hours. The crucible is then removed from the oven and the contents cooled to about room temperature which is typically in a range of about 22 degree C. to about 25 degree. C.

See col. 1, line 49 through col. 10, line 18.

Art Unit: 1714


No patentable difference is readily ascertained between the present and patented inventions. Selection of species from within the genus of components disclosed by patentee would have been obvious to one of ordinary skill in the art at the time of applicant's invention.

Prior art cited on form 1449 must include a month and year of publication to be considered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kriellion A. Sanders whose telephone number is 571-272-1122. The examiner can normally be reached on Monday through Thursday 6:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 571-272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Kriellion A. Sanders
Primary Examiner
Art Unit 1714

ks